## **MAKHADO MUNICIPALITY**

## **QUOTE NO. MAK23/2019**

# SUPPLY, DELIVERY OF MATERIAL, LABOUR AND CONSTRUCTION OF WATERPROOF NET CARPORTS AT LIBRARY

All interested service providers are hereby invited to submit written quotations for the supply, delivery of material, labour and construction of guard room at Musekwa Thusong centre.

# NB: COMPULSORY BRIEFING SESSION WILL BE HELD ON 16 APRIL 2019 AT 14H00 AT MAKHADO MUNICIPALITY – MUSEKWA THUSONG CENTRE

#### **SCOPE OF WORK**

Item	Description
	<u>Foundation</u>
1.	<ul> <li>Clear a 7m x 7m site to allow a working space</li> <li>Set out a foundation 4050 x 4050 (outside measurement of the building)</li> <li>Allow for 600 x 600 trench with total length of the building</li> <li>Use 10mm tensile steel as reinforcement in trench and 8 mm round bars @ 1200mm c/c as stripes. Steel work box must allow 50mm on each side of the trench wall and underneath.(DON'T WELD STEEL IN FOUNDATION)</li> <li>Cast 20mpa concrete strip in trench 300 x 600</li> <li>Allow the curing of concrete for 7 days</li> <li>Construct a foundation wall a s per the slope natural ground level and allow 150mm from NGL to the DPC (Damp proof course)</li> <li>Fill the foundation with gravel and use machine compactor and allow for 75mm concrete slab and insert mesh wire 5mm ,cast a 20mpa concrete slab and allow the slab curing period</li> </ul>
2.	<u>Superstructure</u>
	<ul> <li>Lay 9inch damp proof course SABS approved to start with the construction of one brick wall until the underside of the wall plate</li> <li>Brick force SABS approved to be put at four course interval</li> <li>Heavy duty door frames must be of the same height with the window frames.</li> <li>Wall must be plastered internal and external by 20mm plaster.</li> <li>Plastered Walls to painted by G377 and trim 1m high from the ground by Windsor green G33</li> </ul>
3.	Roof
	<ul> <li>The gable roofs trusses are treated timbers consist of 114 x 38 rafters, king post, strut, queen post and tie beam. 76 x 50 purlins</li> <li>The height of the king post must be 800mm and the open overhang is 600mm.</li> <li>Use 0.4mm thick IBR roof sheet and IBR ridge</li> <li>The vertical trusses members must fastened M10 bolts top and bottom</li> <li>All exposed timbers must be painted by carbolineum</li> <li>Cover the overhang by 220 x 20mm fascia board and barge board on the side the gable</li> </ul>

wall

# 4. Ceiling

- Construct a ceiling frame 38 x 38 battens
- Use asbestos ceiling board and with standard cornice and strip.
- Paint ceiling in POLVIN white paint

# 5. Glasses and doors

- Use obscure 3mm thick glasses in toilet and clear glasses in guard room/office
- Doors must solid 8 panels and have shooters inside and 4 lever lock

# 6. Plumbing work

- 01 x heavy duty complete ceramic toilet sets
- 01 x male urinal system
- 01 x ceramic hand wash basin with taps on basin
- Allow 110mm diameter pipe to the connection point to the French drain

# 7. Floor finish

- Floor must be finished off by 20mm smooth cement toping.
- The counter must be with four drawers attached to the wall

The following must be checked by the contractor before living the site

- ALL COMPLETED WORK AREA MUST BE CLEANED AND DUST FREE
- ALL RUBBLES MUST BE TRANSPORTED TO THE DUMPING SITE
- All appliances are tested and are in working condition

### **REQUIREMENTS**

- Valid Tax Compliance Status Pin Issued
- A copy of Company Registration Certificate/ CK.
- CIDB Grading 01 GB
- Certified copy/copies of company owner(s) ID Book(s). Not later than three (03) months.
- Attach Proof of payment of Municipal Bill/ Rates accounts/ Formal Lease Agreement,
   Letter from the Traditional Authority for both entity and directors of the company.
- A copy CSD Summary Report

NB: service provider must submit their certified BBBEE verification from verification agency accredited by South African National Accreditation System (SANAS) or sworn affidavit.

Quotations must be as follows:

- 1. Be signed by an authorized person of the supplier
- 2. Be on an original letter head of the company/enterprise
- 3. Be valid for a period of sixty (60) days from the closing date
- 4. clearly indicate the price charged vat inclusive
- 5. Be accompanied by fully completed MBD 6.1 and MBD 4 obtainable from the municipality or can be downloaded from municipal website <a href="www.makhado.gov.za">www.makhado.gov.za</a>.

Fully priced and signed quotations must be sealed in an envelope clearly marked quote number "MAK23/2019" & description 'SUPPLY, DELIVERY OF MATERIAL, LABOUR AND CONSTRUCTION OF GUARD ROOM AT MUSEKWA THUSONG CENTRE' and be deposited in the tender box at the foyer of the Civic Centre at the physical address reflected below by no later than 12H00 of 19 APRIL 2019

Quotations received will be assessed in accordance with the Municipal Supply Chain Management Regulations, 2005 read with Council's Supply Chain Management Policy and 80/20 points scoring will be used. Preference points will be allocated according to BBBEE rating.

#### Please Note:

- 1. No quotation by facsimile or by e-mail will be accepted.
- 2. Enquiries in this regard must be directed to **Ms J Mokgaga** at contact number: **071 225 9334** during office hours.
- 3. Council reserves the right not to accept lowest or any quotation or to accept part of a quotation only.
- 4. All Service Provider doing business with Makhado municipality are required to register on the CSD (**Central Supplier Database**).
- 5. Admin enquiries can be directed to Ms LO Tshidavhu or Mr M Ramabulana at 015 519 3179/3024.

Civic Centre 83 Krogh Street LOUIS TRICHARDT 0920

Notice no: 52/2019 File no: 8/3/2/1 MR N F TSHIVHENGWA

MUNICIPAL MANAGER