

MAKHADO MUNICIPALITY

QUOTE NO. MAK26/2019

SUPPLY, DELIVERY OF MATERIAL, LABOUR AND CONSTRUCTION OF MADODONGA PAY POINT OFFICE

All interested service providers are hereby invited to submit written quotations for the supply, delivery of material, labour and construction of Madodonga Pay Point Office.

NB: COMPULSORY BRIEFING SESSION WILL BE HELD ON 17 APRIL 2019 AT 14H00 AT MADODONGA MUNICIPAL PAY POINT AT MADODONGA VILLAGE

SCOPE OF WORK

Item	Description
1.	<p style="text-align: center;"><u>Foundation</u></p> <ul style="list-style-type: none">• Clear a 10m×10m site to allow for working space• Set out a foundation 6160×4440 (outside measurement of the building)• Allow for 600 x 600 trench with total length of the building• Use 10mm tensile steel as reinforcement in trench and 8 mm round bars @ 1200mm c/c as stripes. Steel work box must allow 50mm on each side of the trench wall and underneath. (DON'T WELD STEEL IN FOUNDATION)• Cast 20mpa concrete strip in trench 300 x 600• Allow the curing of concrete for 7 days• Construct a foundation wall as per the slope natural ground level and allow 150mm from NGL to the DPC (Damp proof course)• Fill the foundation with gravel and use machine compactor and allow for 75mm concrete slab and insert mesh wire 5mm ,cast a 20mpa concrete slab and allow the slab curing period
2.	<p style="text-align: center;"><u>Superstructure</u></p> <ul style="list-style-type: none">• Lay 9inch damp proof course SABS approved to start with the construction of one brick wall until the underside of the wall plate• Brick force SABS approved to be put at four course interval• Heavy duty door frames must be of the same height with the window frames.• Wall must be plastered internal and external by 20mm plaster.• Plastered Walls to painted by G377 and trim 1m high from the ground by Windsor green G33
3.	<p style="text-align: center;"><u>Roof</u></p> <ul style="list-style-type: none">• The gable roofs trusses are treated timbers consist of 114 x 38 rafters, king post, strut, queen post and tie beam. 76 x 50 purlins• The height of the king post must be 800mm and the open overhang is 600mm.• Use 0.4mm thick IBR roof sheet and IBR ridge• The vertical trusses members must fastened M10 bolts top and bottom

4.	<ul style="list-style-type: none"> • All exposed timbers must be painted by cabollinium • Cover the overhang by 220 x 20mm fascia board and barge board on the side the gable wall <p><u>Ceiling</u></p> <ul style="list-style-type: none"> • Construct a ceiling frame 38 x 38 battens • Use asbestos ceiling board and with standard cornice and strip. • Paint ceiling in POLVIN white paint • The ceiling for the strong room must be casted with 75mm reinforced concrete slab
5.	<p><u>Glasses and doors</u></p> <ul style="list-style-type: none"> • Use obscure 3mm thick glasses for windows and weld 10mm round bars burglar proof • Heavy duty doors must have shooters inside and heavy duty lock • Weld security door using 25x25 square tubes with a frame at entrance door with heavy duty
6.	<p><u>Plumbing work</u></p> <ul style="list-style-type: none"> • 01 x heavy duty complete ceramic toilet sets • 01 x male urinal system • 01 x ceramic hand wash basin with taps on basin • Allow 110mm diameter pipe to the connection point to the French drain
7.	<p><u>Floor finish</u></p> <ul style="list-style-type: none"> • Floor must be finished off by 20mm smooth cement topping. • The counter must be with four drawers attached to the wall <p>The following must be checked by the contractor before leaving the site</p> <ul style="list-style-type: none"> • <i>ALL COMPLETED WORK AREA MUST BE CLEANED AND DUST FREE</i> • <i>ALL RUBBLES MUST BE TRANSPORTED TO THE DUMPING SITE</i> • <i>All appliances are tested and are in working condition</i>

REQUIREMENTS

- Valid Tax Compliance Status Pin Issued
- A copy of Company Registration Certificate/ CK.
- CIDB Grading 01 GB
- Certified copy/copies of company owner(s) ID Book(s). Not later than three (03) months.
- Attach Proof of payment of Municipal Bill/ Rates accounts/ Formal Lease Agreement, Letter from the Traditional Authority for both entity and directors of the company.
- A copy CSD Summary Report

NB: service provider must submit their certified BBBEE verification from verification agency accredited by South African National Accreditation System (SANAS) or sworn affidavit.

Quotations must be as follows:

1. Be signed by an authorized person of the supplier
2. Be on an original letter head of the company/enterprise
3. Be valid for a period of sixty (60) days from the closing date
4. clearly indicate the price charged vat inclusive
5. Be accompanied by fully completed MBD 6.1 and MBD 4 obtainable from the municipality or can be downloaded from municipal website www.makhado.gov.za.

Fully priced and signed quotations must be sealed in an envelope clearly marked quote number **“MAK26/2019”** & description **‘SUPPLY, DELIVERY OF MATERIAL, LABOUR AND CONSTRUCTION OF MADODONGA PAY POINT OFFICE’** and be deposited in the tender box at the foyer of the Civic Centre at the physical address reflected below by no later than **12H00 of 23 APRIL 2019**

Quotations received will be assessed in accordance with the Municipal Supply Chain Management Regulations, 2005 read with Council’s Supply Chain Management Policy and 80/20 points scoring will be used. Preference points will be allocated according to BBBEE rating.

Please Note:

1. No quotation by facsimile or by e-mail will be accepted.
2. Enquiries in this regard must be directed to **Ms J Mokgaga** at contact number: **071 225 9334** during office hours.
3. Council reserves the right not to accept lowest or any quotation or to accept part of a quotation only.
4. All Service Provider doing business with Makhado municipality are required to register on the CSD (**Central Supplier Database**).
5. Admin enquiries can be directed to **Ms LO Tshidavhu** or **Mr M Ramabulana** at **015 519 3179/3024**.

Civic Centre
83 Krogh Street
LOUIS TRICHARDT

Notice no:52 /2019

0920

File no: 8/3/2/1
MR N F TSHIVHENGWA
MUNICIPAL MANAGER